

## Gigabyte GA-A320M Motherboar

## **Product Specification**

Brand	Gigabyte
Model	GA-A320M
Chipset	AMD A320
Processors	Integrated Graphics Processor
Form Factor	Micro ATX Form Factor
CPU	AM4 Socket: Supports AMD 3rd Gen Ryzen   2nd Gen Ryzen   1st Gen Ryzen   2nd Gen Ryzen with Radeon Vega Graphics   1st Gen Ryzen with Radeon Vega Graphics   Athlon With Radeon Vega Graphics   7th Gen Aseries   Athlon X4 Processors
Memory Suppotrs	2 x DDR4 DIMM sockets supporting up to 32 GB of system memory   Dual channel memory architecture   Support for DDR4 3200(O.C.)/2933(O.C.)/2667*/2400/2133 MHz memory modules   Support for ECC Un-buffered DIMM 1Rx8/2Rx8 memory modules (operate in non-ECC mode)   Support for non-ECC Un-buffered DIMM 1Rx8/2Rx8/1Rx16 memory modules   Support for Extreme Memory Profile (XMP) memory modules
Onboard Graphics	$1 \times D$ -Sub port, supporting a maximum resolution of $1920 \times 1200 @ 60 \text{ Hz} \mid 1 \times DVI$ -D port, supporting a maximum resolution of $1920 \times 1200 @ 60 \text{ Hz} \mid 1 \times HDMI$ port, supporting a maximum resolution of $4096 \times 2160 @ 24 \text{ Hz}$
Audio	Realtek ALC887 codec   High Definition Audio   2/4/5.1/7.1-channel   Support for S/PDIF Out
LAN	Realtek GbE LAN chip (10/100/1000 Mbit)
Expansion Slots	1 x PCI Express x16 slot, running at x16 (PCIEX16)   2 x PCI Express x1 slots   1 x PCI slot

Storage Interface	$4 \times SATA 6Gb/s$ connectors   Support for RAID 0, RAID 1, and RAID 10
USB Port	$1 \times USB \ 3.1 \ Gen \ 2 \ Type-A \ port (red) \ on the back panel   2 \times USB \ 3.1 \ Gen \ 1 \ ports \ available through the internal USB header   6 \times USB \ 2.0/1.1 \ ports \ (2 \ ports \ on the back panel, 4 ports \ available through the internal USB headers)$
Internal I/O Connectors	$1 \times 24$ -pin ATX main power connector   $1 \times 8$ -pin ATX $12$ V power connector   $4 \times SATA$ $6$ Gb/s connectors   $1 \times CPU$ fan header   $2 \times SATA$ $6$ Gb/s connectors   $1 \times CPU$ fan header   $2 \times SATA$ $1 \times SA$
Back Panel Connectors	1 x PS/2 mouse port   1 x PS/2 Keyboard port   1 x D-Sub port   1 x DVI-D port   1 x USB 3.1 Gen 2 Type-A port (red)   3 x USB 3.1 Gen 1 ports   2 x USB 2.0/1.1 ports   1 x RJ-45 port   3 x audio jacks (Line In, Line Out, Mic In)
BIOS	1 x 128 Mbit flash   Use of licensed AMI UEFI BIOS   PnP 1.0a, DMI 2.7, WfM 2.0, SM BIOS 2.7, ACPI 5.0