



HP LaserJet Pro MFP M329dn Multifunction Printer

Product Specification

Brand	HP
Series	Laserjet Pro MFP
Model	M329dn
Available Functions	Print Scan Copy
Printer Type	Laser
Print Speed	Print speed black (ISO, A4) : Up to 35 cpm First page out black (A4, ready) :As fast as 6.0 sec
Duty Cycle	Up to 80,000 pages
Recommended monthly page volume	750 to 4000
Paper Handling Input	100-sheet tray 1, 250-sheet input tray 2
Paper Handling output	150-sheet output bin
Duplex printing	Automatic (default)
Media sizes supported	Tray 1: A4 A5 A6 B5 (JIS) Oficio (216 x 340 mm) 16K (195 x 270 mm) 16K (184 x 260 mm) 16K (197 x 273 mm) Japanese Postcard Double Japan Postcard Rotated Envelope #10 Envelope Monarch Envelope B5 Envelope C5 Envelope DL Custom Size 4 x 6 in 5 x 8 in Statement Tray 2 & Tray 3: A4 A5-R B6 (JIS)

Media types	Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough) envelopes labels
Scanner type	Flatbed, ADF
Scan resolution, optical	Up to 1200 x 1200 dpi
Scan size, maximum	216 x 297 mm
Scan size (ADF), maximum	216 x 356 mm
Automatic document feeder capacity	Standard, 50 sheets
Digital sending standard features	Scan to email with LDAP email address lookup Scan to network folder Scan to USB Scan to Microsoft SharePoint Scan to computer with software Quick Sets
Copy speed (black, normal quality, A4)	Up to 35 cpm
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Copy reduce / enlarge settings	25 to 400%
Ecolabels	CECP
Connectivity	1 Hi-Speed USB 2.0 2x host USB Gigabit Ethernet 10/100/1000BASE-T network
Display	2.7" (6.86 cm) intuitive color touchscreen (CGD)
Memory	512 MB DDR 512 MB Flash
Connectivity	1 Hi-Speed USB 2.0 2x host USB Gigabit Ethernet 10/100/1000BASE-T network
Operating temperature range	10 to 32.5°C
operating humidity range	30 to 70% RH

