



Xerox C315 Multifunction Color Printer

Product Specification

Brand	Xerox
Model	C315
Type	Multifunction Colour Printer
Available Functions	Print Copy Scan Fax
Processor Speed	1.2 GHz
Print Speed	Color: up to 35 ppm Black: up to 35 ppm
Paper Handling output	Standard
Monthly Print Volume	Up to 6,000 Pages
Duty Cycle	Up to 80,000 Images
Print memory	2 GB Standard
Print Resolution	1200 x 1200 dpi 4800 Color Quality

First page out	As fast as 7.9 Seconds Black and White 8 Seconds Color
Page description language	PCL 5/6 PostScript 3 XPS
Print Feature	Booklet Layout Collation Draft Mode Duplex Earth Smart Settings N-up Normal Secure Saved and Sample Set Job Types One Touch UI Orientation Print Job ID in Margins Print Quality Rotate Image 180 Degrees Saved Settings Tray and Toner Status Watermark
Mobile Printing Capability	Apple AirPrint Chromebook Printing Mopria Print Service Wi-Fi Direct
Copy Resolution	600 x 600 dpi
First Page Out Time	As fast as 8.2 Seconds Black and White 9.1 Seconds Color
Scan destinations	Email FTP Network or USB Connected Computer Front-side USB drive Windows Network folder
Scan file formats	BMP JPEG Non-Searchable PDF TIFF XPS
Scan Resolution	600 x 600 dpi
Fax Features	Auto Answer Auto Redial Auto Reduction Broadcast Send Fax Address Book Fax Forward Junk Fax Filter
Fax compression	MH MR MMR JBIG JBIG2 JPEG
Paper capacity	Tray (Main tray): 250 sheets Tray (Manual feed slot): 1 sheets Tray (Multipurpose Feeder) (optional): 100 sheets Tray (550-sheet Feeder) (optional): 550 sheets
Paper Size	Tray (Main tray): Custom sizes: 3.8 x 5.8 in. to 8.5 x 14 in. (98 x 148 mm to 216 x 356 mm) Tray (Manual feed slot): Custom sizes: 3 x 5 in. to 8.5 x 14 in. (148 x 210 mm to 216 x 356 mm) Tray (Multipurpose Feeder) (optional): Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76 x 127 mm to 216 x 356 mm) Tray (550-sheet Feeder) (optional): Custom sizes: 5.83 x 8.27 in. to 8.5 x 14 in.
Output capacity	120 sheets
Media types	Plain Paper Light Paper Heavy Paper Card Stock Labels (Paper Labels) Envelopes Colored Paper Letterhead Preprinted Bond Glossy Rough/Cotton Recycled
Security Features	Access Controls Auto-insertion of Sender's Email Address Certificate Management Confidential Print Digitally Signed Firmware Updates Fax/Network Separation Login Restrictions Non-Volatile Memory Wipe Port Filtering Protected USB Ports Secure Password Reset TCP Connection Filtering TLS 1.3, WPA 3
Connectivity	Ethernet 10/100 BaseTX Gigabit Ethernet Hi Speed USB 2.0 (Type A - Thumbdrive) Hi Speed USB 2.0 (Type B) Wireless 802.11 b/g/n
OS Supported	Windows Server 2008 R2 SP1 Windows Server 2012 Windows Server 2012 R2 Windows Server 2019 MacOS 10.14, 10.15, 11, 12, Windows Server 2008 SP2 (32 and 64 bit) Windows 7 SP1, 8, 8.1 Update 1, 10, 11

